## **Aloe Vera Aqua Beads Hydrating Gel**

Immerse your hair in a refreshing aquatic experience with our Hydrating Aloe Vera Gel featuring suspended beads. Enriched with the hydrating properties of aloe vera, this gel provides a burst of moisture while the suspended beads deliver additional nourishment to your hair.

Itom	Ingredient	Wt%
Item	ingreuient	VV L /0
Α	Deionized water	86.9
	Disodium EDTA	0.0
	Carbopol Ultrez 21 Polymer (Lubrizol)	0.4
	(Acrylates/C10-30 alkyl acrylate crosspolymer)	
	Methyl gluceth-20	1.0
	Butylene glycol	3.0
	Polyquaternium-39	0.3
	Sodium PCA 0.50%	0.5
	Shiseido sodium hyaluronate Powder (Shiseido)	2.0
	(Sodium hyaluronate (1% aqueous solution))	
	PEG-12 dimethicone (Dow Corning 193C)	3.0
	Sodium hydroxide (18%)	0.4
	Innovaloe Aloe Vera Juice 1X (AMB)	2.0
	Phenonip (Clariant) (Phenoxyethanol, methyl-,	0.2
	ethyl-, butyl-, propyl-, (and) isobutylparaben)	
	LipoSphere 0290 (Lipo Chemicals/Dow Corning)	0.3
	(Helianthus annuus, retinyl palmitate, tocopheryl	
	acetate, agar, aqua, (and) CI 77289)	



## Procedure:

Dissolve disodium EDTA in deionized water. Disperse Carbopol Ultrez 21 Polymer on the surface of deionized water. When the polymer is fully wetted, mix batch (200-300 rpm) and slowly add Glucam E-20 humectant and butylene glycol. Mix until uniform. Neutralize the batch with phase B. Mix until uniform. Decrease the mixing speed to 100-200 rpm. Make a 1% TS solution of sodium hyaluronate. Sequentially add the components of phase C to batch. Mix until uniform. Continue mixing and add phase D ingredients. Mix until uniform. Slowly add the beads into the gel (0.30g: 100g gel) through slow agitation (50 rpm).

## \*DISCLAIMER

in information contained herein is being furnished for informational purposes only, upon the express condition that the User makes its own assessment of the appropriate use of such information. While the information contained herein is believed to be reliable, no presentations, guarantees or warranties of any kind are made as to its accuracy, suitability for a particular application or the results to be obtained herefrom. Agromayal Botanica SA de CV. ("AMB") cannot guarantee how any products associated with this formation will perform in combination with other substances or in User's process. Due to the variations in methods, conditions and equipment used commercially in processing these materials, no warranties or guarantees are made as to the suitability of the formation/products for the applications disclosed. AMB shall not be liable and the User assumes all risk and responsibility for, any use or handling of any material beyond AMB's direct control. AMB WELLINESS MAKES NO WARRANTIES, EXPRESS OR IMPLIED, CLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. It is the User's sole responsibility to determine if there are any issues relating to patent infringement of any component or combination of magnetic products and the permission of the patent owner. This suggested formulation is only representative formulation and it is not a commercialized product. AMB WELLNESS believes that the information and data on which this formulation is based are reliable, but it has not been subjected to extensive testing for performance, efficacy or safety. BEFORE DIMMERCIALIZATION, YOU SHOULD THOROUGHLY TEST THE FORMULATION OR ANY VARIATION OF IT TO DETERMINE ITS PERFORMANCE, EFFICACY AND SAFETY. IT IS YOUR RESPONSIBILITY TO OBTAIN ANY NECESSARY GOVERNMENT CLEARANCE, LICENSE OR GISTRATION. In addition, and without undertaken a comprehensive patents search on the formulation. Suggestions of uses should not be taken as inducements to infringe any particular patent.







