## **Aloe Breeze Aerosol Shaving Foam**

Experience a breeze of comfort with Aloe Breeze Aerosol Shaving Foam. Infused with aloe vera, this foam offers a cool and soothing shave, leaving your skin feeling revitalized and invigorated.

ltem	Ingredient	Wt%
1	DI Water	51.6
2	ALOE VERA CONCENTRATE 10X	1.4
3	Stereatic acid	7.2
4	Coco fatty acid	2.3
5	Sorbitol (70%)	9
6	Triethanolamine	3.6
7	TEGO –BETAIN L7	13.5
8	Perfume	0.7
9	Propylene glycol	0.7
10	Propellant 12/114	10



Procedure:

1. Sprinkle aloe vera onto the surface of Deionized Water (25 – 40 °C). Wait until the polymer has completely "wet out". Begin gentle agitation (200 rpm), mixing for 5 minutes.

2. Heat batch to 60°C with slow agitation.

3. Add the ingredients in order except the propellant one at a time with mixing. Keep a temperature around 40 – 45 °C. Mix for 10 minutes or until uniform.

4. Let cool at room temperature.

5. Add the hydrocarbons (Pentane, isobutene and sodium hydroxide.

6. Transfer to aerosol container, crimp valve and pressurize.

## \*DISCLAIMER

The information contained herein is being furnished for informational purposes only, upon the express condition that the User makes its own assessment of the appropriate use of such information. While the information contained herein is believed to be reliable, no representations, guarantees or warranties of any kind are made as to its accuracy, suitability for a particular application or the results to be obtained herefrom. Agromayal Botanica SA de CV. ("AMB") cannot guarantee how any products associated with this information will perform in combination with other substances or in User's process. Due to the variations in methods, conditions and equipment used commercially in processing these materials, no warranties or guarantees are made as to to the variations in methods, conditions and equipment used commercially in processing these materials, no warranties or guarantees are made as to the use the variations in methods, conditions and equipment used commercially on processing these materials, no warranties or guarantees are made as to the variations in methods, conditions and equipment used commercially on processing these materials, no warranties or guarantees are made as to the variations in methods, conditions and equipment used commercially on processing these materials, no warranties or guarantees are made as to the variation in the User assumes all risk and responsibility for, any use or handling of any material beyond AMB's direct control. AMB WELLNESS MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT INOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. It is the User's sole responsibility to determine if there are any issues relating to patent information. Nothing contained herein is to be considered as permission, recommendation, nor as an inducement to particular patental information. Nothing contained herein is to be considered as permission, recommendation is based are reliable, but it has not been subjected to extensive testing for performance, e



