

AMBIOME™ SKC ALOE FERMENTED REFERENCES

- Enhancement of the Anti-Skin Wrinkling Effects of Aloe arborescens Miller Extracts Associated with Lactic Acid Fermentation. Hyang Seon Ro,¹ Hyun Jun Jang,² Gyu Rae Kim,³ Sang Jin Park,¹ and Hyeon Yong Lee
- Biological and Cosmetical Importance of Fermented Raw Materials: An Overview Weronika Majchrzak^{1,*}, Ilona Motyl² and Krzysztof Smigielski²
- The Effect of Aloe vera on Skin and Its Commensals: Contribution of Acemannan in Curing Acne Caused by Propionibacterium acnes. Suraj Pal¹, Mayank Raj¹, Medha Singh¹, Kumar Saurav², Chetan Paliwal³, Subhasish Saha^{2,4}, Anil Kumar Sharma⁵ and Manoj Singh
- H. Lee, W. Choi, Skin Antiaging Effects of the Fermented Outer Layers of Leaf Skin of Aloe barbadensis Miller Associated with the Enhancement of Mitochondrial Activities of UVB-Irradiated Human Skin Fibroblasts.
- Evaluation of Fermented Extracts of Aloe vera Processing Byproducts as Potential Functional Ingredients. Seong-Hun Lee^{1,†}, Chang-Ho Eun^{2,†}, Yong-Seong Kwon¹, Jin-Hong Baek¹ and In-Jung Kim
- Study on the application of Aloe vera in cosmetology and clinical treatment of skin diseases. Jiajun Zhu^{a,b}, Yuanru Zheng^a, Yanhui Ge
- Yoseph, C.; Avanti, C.; Hadiwidjaja, M.; Briliani, K. The importance of fermented plant extract for anti aging in cosmetics product. World J. Pharm. Res. 2021, 10, 1330–1343.
- Mathur, H.; Beresford, T.P.; Cotter, P.D. Health benefits of lactic acid bacteria (LAB) fermentates. Nutrients 2020, 12, 1679.
- Kaur, S.; Bains, K. Aloe barbadensis Miller (Aloe vera) Pharmacological Activities and Clinical Evidence for Disease Prevention. Int.J. Vitam. Nutr. Res. 2024, 94, 308–321.
- Akaberi, M.; Sobhani, Z.; Javadi, B.; Sahebkar, A.; Emami, S.A. Therapeutic Effects of Aloe spp. in Traditional and Modern Medicine: A Review. Biomed. Pharmacother. 2016, 84, 759–772. [CrossRef] [PubMed]
- Dal’Belo, S.E.; Rigo Gaspar, L.; Maia Campos, P.M.B.G. Moisturizing Effect of Cosmetic Formulations Containing Aloe vera Extract in Different Concentrations Assessed by Skin Bioengineering Techniques. Ski. Res. Technol. 2006, 12, 241–246.
- Mi-sun, L.; Shun-Hua, L. Research on the perception of fermented cosmetics and the satisfaction level of ‘Korean Medicine Herb’cosmetics. Asian J. Beauty Cosmetol. 2010, 8, 285–292.
- Jenkins, G. Molecular mechanisms of skin ageing. Mech. Ageing Dev. 2002, 123, 801–810.
- Sivamaruthi, B.S.; Chaiyasut, C.; Kesika, P. Cosmeceutical importance of fermented plant extracts: A short review. Int. J. Appl. Pharm. 2018, 10, 31–34.
- Hekmatpou, D.; Mehrabi, F.; Rahzani, K.; A. The Effect of Aloe vera Clinical Trials on Prevention and Healing of Skin Wound: A Systematic Review. Iran. J. Med. Sci. 2019, 44, 1–9.

AMBIOME™ SKC ALOE FERMENTED REFERENCES

- Surjushe, A.; Vasani, R.; Saple, D. Aloe vera: A short review. *Indian J. Dermatol.* 2008, 53, 163. [CrossRef]
- Bai, Y.; Niu, Y.; Qin, S.; Ma, G. A New Biomaterial Derived from Aloe vera—Acemannan from Basic Studies to Clinical Application. *Pharmaceutics* 2023, 15, 1913.
- Thunyakitpisal, P.; Ruangpornvisuti, V.; Kengkwasing, P.; Chokboribal, J.; Sangvanich, P. Acemannan Increases NF-KB/DNA Binding and IL-6/-8 Expression by Selectively Binding Toll-like Receptor-5 in Human Gingival Fibroblasts. *Carbohydr. Polym.* 2017, 161, 149–157.
- Davis, R.H.; DiDonato, J.J.; Johnson, R.W.; Stewart, C.B. Aloe vera, Hydrocortisone, and Sterol Influence on Wound Tensile Strength and Anti-Inflammation. *J. Am. Podiatr. Med. Assoc.* 1994, 84, 614–621.
- Singh, V.K. Bioferments in beauty infusing antioxidant and microbiome benefits into skin. *Cosmet. Toilet.* 2022, 137, 59–68.
- Jiang, M.; Deng, K.; Jiang, C.; Fu, M.; Guo, C.; Wang, X.; Wang, X.; Meng, F.; Yang, S.; Deng, K.; et al. Evaluation of the Antioxidative, Antibacterial, and Anti-Inflammatory Effects of the Aloe Fermentation Supernatant Containing *Lactobacillus plantarum* HM218749.1. *Mediat. Inflamm.* 2016, 2016, 2945650. [CrossRef]
- Pérez-Rivero, C.; López-Gómez, J.P. Unlocking the Potential of Fermentation in Cosmetics: A Review. *Fermentation* 2023, 9, 463.
- Sánchez, M.; González-Burgos, E.; Iglesias, I.; Gómez-Serranillos, M.P. Pharmacological Update Properties of Aloe vera and Its Major Active Constituents. *Molecules* 2020, 25, 1324.
- Añibarro-Ortega, M.; Pinela, J.; Barros, L.; C´iric´, A.; Silva, S.P.; Coelho, E.; Mocan, A.; Calhelha, R.C.; Sokovic´, M.; Coimbra, M.A.; et al. Compositional Features and Bioactive Properties of Aloe vera Leaf (Fillet, Mucilage, and Rind) and Flower. *Antioxidants* 2019, 8, 444.
- Gao, Y.; Kuok, K.I.; Jin, Y.; Wang, R. Biomedical Applications of Aloe vera. *Crit. Rev. Food Sci. Nutr.* 2019, 59, S244–S256.
- Cadet, J.; Davies, K.J.A.; Medeiros, M.H.G.; Mascio, P.D.; Wagner, J.R. Formation and repair of oxidatively generated damage in cellular DNA. *Free Radic. Biol. Med.* 2017, 107, 13–34.
- Balaban, R.S.; Nemoto, S.; Finkel, T. Mitochondria, oxidants, and aging. *Cell* 2005, 25, 483–495. [10. Kicinska, A.; Jarmuszkiewicz, W. Flavonoids and mitochondria: Activation of cytoprotective pathways? *Molecules* 2020, 25, 3060.
- Izawa, N.; Sone, T. Cosmetic Ingredients Fermented by Lactic Acid Bacteria. *Microb. Prod.* 2014, 2, 233–242.
- Ratre, M.; Nathorn, C.; Surachet, N.; Chuenjid, K. The efficacy of Aloe vera used for burn wound healing: A systematic review. *Burns* 2007, 33, 713–718.
- Supreet, J.; Nirav, R.; Ravleen, N.; Jaideep, S.; Afshan, L.; Naveen, G.; Priyanka, A.; Swati, P. Antibacterial effect of Aloe vera gel against oral pathogens: An in-vitro study. *J. Clin. Diagn. Res.* 2016, 10, 41–44.

AMBIOME™ SKC ALOE FERMENTED REFERENCES

- Langmead, L.; Makins, R.J.; Rampton, D.S. Anti-inflammatory effect of Aloe vera gel in human colorectal mucosa in vitro. *Aliment.Pharmacol. Ther.* 2004, 19, 521–527.
- Chandegara, V.K.; Varshney, A.K. Aloe vera L. processing and products: A review. *Int. J. Med. Aromat. Plants* 2013, 3, 492–506.
- Korkina, L.; De Luca, C.; Pastore, S. Plant Polyphenols and Human Skin: Friends or Foes. *Ann. N. Y. Acad. Sci.* 2012, 1259, 77–86.
- Michalak, M.; Zielinska, A.; Paradowska, K. Phenolic Content, Antioxidant Activity and Pharmaceutical Availability of Hydrogels with Extracts of *Rosmarinus officinalis* L. And *Sambucus nigra* L. *Acta Pol. Pharm.* 2021, 78, 219–226.
- Alonso, C.; Rubio, L.; Touriño, S.; Martí, M.; Barba, C.; Fernández-Campos, F.; Coderch, L.; Luís Parra, J. Antioxidative Effects and Percutaneous Absorption of Five Polyphenols. *Free Radic. Biol. Med.* 2014, 75, 149–155.
- Murphy, B.; Grimshaw, S.; Hoptroff, M.; Paterson, S.; Arnold, D.; Cawley, A.; Adams, S.E.; Falciani, F.; Dadd, T.; Eccles, R.; et al. Alteration of Barrier Properties, Stratum Corneum Ceramides and Microbiome Composition in Response to Lotion Application on Cosmetic Dry Skin. *Sci. Rep.* 2022, 12, 522
- Zillich, O.V.; Schweiggert-Weisz, U.; Hasenkopf, K.; Eisner, P.; Kerscher, M. Release and in Vitro Skin Permeation of Polyphenols from Cosmetic Emulsions. *Int. J. Cosmet. Sci.* 2013, 35, 491–501
- Shi, Y.; Wei, K.; Lu, J.; Wei, J.; Hu, X.; Chen, T. A Clinic Trial Evaluating the Effects of Aloe Vera Fermentation Gel on Recurrent Aphthous Stomatitis. *Can. J. Infect. Dis. Med. Microbiol.* 2020, 2020, 8867548.
- Dini, I.; Laneri, S. The New Challenge of Green Cosmetics: Natural Food Ingredients for Cosmetic Formulations. *Molecules* 2021,26, 3921.
- Sone, T.; Hanamizu, T.; Chiba, K. Plant ingredients fermented by lactic acid bacteria. *Fragrance* 2005, 33, 65–70.
- Hossen, M.M.; Hossain, M.L.; Mitra, K.; Hossain, B.; Bithi, U.H.; Uddin, M.N. Phytochemicals and In-Vitro Antioxidant Activity Analysis of Aloe vera by-Products (Skin) in Different Solvent Extract. *J. Agric. Food Res.* 2022, 10, 100460.
- Mishra, J.; Chauhan, G.; Agrawal, R.; Khawale, A.V.; Mishra, B.P.; Ahmad, J. Qualitative and Quantitative Determination of Antioxidant Activity of Aloe vera Gel Powder Extracts. *Int. J. Adv. Biochem. Res.* 2024, 8, 322–328.
- Ray, A.; Gupta, S.D.; Ghosh, S. Evaluation of Anti-Oxidative Activity and UV Absorption Potential of the Extracts of Aloe vera L. Gel from Different Growth Periods of Plants. *Ind. Crops Prod.* 2013, 49, 712–719.
- Wintola, O.A.; Afolayan, A.J. Phytochemical Constituents and Antioxidant Activities of the Whole Leaf Extract of *Aloe ferox* Mill. *Pharmacogn. Mag.* 2011, 7, 325–333.

AMBIOME™ SKC ALOE FERMENTED REFERENCES

- Floegel, A.; Kim, D.O.; Chung, S.J.; Koo, S.I.; Chun, O.K. Comparison of ABTS/DPPH Assays to Measure Antioxidant Capacity in Popular Antioxidant-Rich US Foods. *J. Food Compos. Anal.* 2011, 24, 1043–1048.
- Brand-Williams, W.; Cuvelier, M.E.; Berset, C. Use of a Free Radical Method to Evaluate Antioxidant Activity. *LWT—Food Sci. Technol.* 1995, 28, 25–30.
- Zeng, H.; Qin, L.; Liu, X.; Miao, S. Increases of Lipophilic Antioxidants and Anticancer Activity of Coix Seed Fermented by *Monascus purpureus*. *Foods* 2021, 10, 566.
- Lucini, L.; Pellizzoni, M.; Pellegrino, R.; Molinari, G.P.; Colla, G. Phytochemical Constituents and in Vitro Radical Scavenging Activity of Different Aloe Species. *Food Chem.* 2015, 170, 501–507.
- Teplicki, E.; Ma, Q.; Castillo, D.E.; Zarei, M.; Hustad, A.P.; Chen, J.; Li, J. The Effects of Aloe vera on Wound Healing in Cell Proliferation, Migration, and Viability. *Wounds* 2018, 30, 263–268.
- Moriyama, M.; Moriyama, H.; Uda, J.; Kubo, H.; Nakajima, Y.; Goto, A.; Akaki, J.; Yoshida, I.; Matsuoka, N.; Hayakawa, T. Beneficial Effects of the Genus Aloe on Wound Healing, Cell Proliferation, and Differentiation of Epidermal Keratinocytes. *PLoS ONE* 2016, 11, e0164799.
- Shi, Y.; Wei, K.; Lu, J.; Wei, J.; Hu, X.; Chen, T. A Clinic Trial Evaluating the Effects of Aloe vera Fermentation Gel on Recurrent Aphthous Stomatitis. *Can. J. Infect. Dis. Med. Microbiol.* 2020, 2020, 8867548.
- Okselni, T.; Septama, A.W.; Juliadmi, D.; Dewi, R.T.; Angelina, M.; Yuliani, T.; Saragih, G.S.; Saputri, A. Quercetin as a Therapeutic Agent for Skin Problems: A Systematic Review and Meta-Analysis on Antioxidant Effects, Oxidative Stress, Inflammation, Wound Healing, Hyperpigmentation, Aging, and Skin Cancer. *Naunyn-Schmiedeberg's Arch. Pharmacol.* 2025, 398, 5011–5055.
- Sun, W.; Shahrajabian, M.H. Therapeutic Potential of Phenolic Compounds in Medicinal Plants-Natural Health Products for Human Health. *Molecules* 2023, 28, 1845.
- Lee, S.; Do, S.G.; Kim, S.Y.; Kim, J.; Jin, Y.; Lee, C.H. Mass Spectrometry-Based Metabolite Profiling and Antioxidant Activity of Aloe vera (*Aloe barbadensis* Miller) in Different Growth Stages. *J. Agric. Food Chem.* 2012, 60, 11222–11228.
- Aldayel, T.S.; Grace, M.H.; Lila, M.A.; Yahya, M.A.; Omar, U.M.; Alshammary, G. LC-MS Characterization of Bioactive Metabolites from Two Yemeni Aloe Spp. with Antioxidant and Antidiabetic Properties. *Arab. J. Chem.* 2020, 13, 5040–5049.
- Wu, X.; Ding, W.; Zhong, J.; Wan, J.; Xie, Z. Simultaneous Qualitative and Quantitative Determination of Phenolic Compounds in Aloe barbadensis Mill by Liquid Chromatography-Mass Spectrometry-Ion Trap-Time-of-Flight and High Performance Liquid Chromatography-Diode Array Detector. *J. Pharm. Biomed. Anal.* 2013, 80, 94–106.
- Okamura, N.; Hine, N.; Tateyama, Y.; Nakazawa, M.; Fujioka, T.; Mihashi, K.; Yagi, A. Three Chromones of Aloe vera Leaves. *Phytochemistry* 1997, 45, 1511–1513.

AMBIOME™ SKC ALOE FERMENTED REFERENCES

- Keyhanian, S.; Stahl-Biskup, E. Phenolic Constituents in Dried Flowers of Aloe vera (Aloe barbadensis) and Their in Vitro Antioxidative Capacity. *Planta Med.* 2007, 73, 599–602.
- Breaud, C.; Lallemand, L.; Mares, G.; Mabrouki, F.; Bertolotti, M.; Simmler, C.; Greff, S.; Mauduit, M.; Herbette, G.; Garayev, E.; et al. LC-MS Based Phytochemical Profiling towards the Identification of Antioxidant Markers in Some Endemic Aloe Species from Mascarene Islands. *Antioxidants* 2023, 12, 50.
- Zhong, J.S.; Huang, Y.Y.; Zhang, T.H.; Liu, Y.P.; Ding, W.J.; Wu, X.F.; Xie, Z.Y.; Luo, H.B.; Wan, J.Z. Natural Phosphodiesterase-4 Inhibitors from the Leaf Skin of Aloe barbadensis Miller. *Fitoterapia* 2015, 100, 68–74.
- Bolat, E.; Sarita, S.; Duman, H.; Eker, F.; Akdaşçı, E.; Karav, S.; Witkowska, A.M. Polyphenols: Secondary Metabolites with a Biological Impression. *Nutrients* 2024, 16, 2550.
- Hur, S.J.; Lee, S.Y.; Kim, Y.; Choi, I.; Kim, G. Effect of fermentation on the antioxidant activity in plant-based foods. *Food Chem.* 2014, 160, 346–356
- Herman, A.; Herman, A.P. Biological Activity of Fermented Plant Extracts for Potential Dermal Applications. *Pharmaceutics* 2023, 15, 2775.
- Zhang, L.; Tizard, I.R. Activation of a Mouse Macrophage Cell Line by Acemannan: The Major Carbohydrate Fraction from Aloe vera Gel. *Immunopharmacology* 1996, 35, 119–128.
- Saito, M.; Tanaka, M.; Misawa, E.; Yao, R.; Nabeshima, K.; Yamauchi, K.; Abe, F.; Yamamoto, Y.; Furukawa, F. Oral Administration of Aloe vera Gel Powder Prevents Uvb-Induced Decrease in Skin Elasticity via Suppression of Overexpression of Mmps in Hairless Mice. *Biosci. Biotechnol. Biochem.* 2016, 80, 1416–1424.
- Chithra, P.; Sajithlal, G.B.; Chandrakasan, G. Influence of Aloe vera on Collagen Characteristics in Healing Dermal Wounds in Rats. *Mol. Cell. Biochem.* 1998, 181, 71–76.
- Curto, E.M.; Labelle, A.; Chandler, H.L. Aloe vera: An in Vitro Study of Effects on Corneal Wound Closure and Collagenase Activity. *Vet. Ophthalmol.* 2014, 17, 403–410.
- Lee, Z.M.; Goh, B.H.; Khaw, K.Y. Aloe vera and the Proliferative Phase of Cutaneous Wound Healing: Status Quo Report on Active Principles, Mechanisms, and Applications. *Planta Med.* 2024, 91, 4–18.
- Cheng, F.; Feng, J.; Cao, Z.; Duan, Q.; Li, H. Efficacy and Safety of Topical Application of Plant-Based Products on Skin Aging in Healthy Individuals: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *J. Cosmet. Dermatol.* 2024, 24, e16710.
- Gonzalez-Bravo, A.; Montero-Vilchez, T.; Arias-Santiago, S.; Buendia-Eisman, A. The Effect of Sunscreens on the Skin Barrier. *Life* 2022, 12, 2083.
- Chang, X.L.; Chen, B.Y.; Feng, Y.M. Water-soluble polysaccharides isolated from skin juice, gel juice and flower of Aloe vera miller. *J. Taiwan Inst. Chem. Eng.* 2011, 42, 197–203.
- Minjares-Fuentes, R.; Femenia, A.; Comas-Serra, F.; Rodríguez-González, V.M. Compositional and structural features of the main bioactive polysaccharides present in the Aloe vera plant. *J. AOAC Int.* 2018, 101, 1711–1719.

AMBIOME™ SKC ALOE FERMENTED REFERENCES

- Perdigón, G.; Fuller, R.; Raya, R. Lactic acid bacteria and their effect on the immune system. *Curr. Issues Intest. Microbiol.* 2001, 12,27–42.
- Hu, Z.; Wang, X.; Yang, L.; Tan, X.; Bao, T. Determination of quercetin in Yi Gan Qing capsule by HPLC. *J. Anhui Agric. Sci.* 2008,36, 9347–9348.
- Frezzini, M.A.; Castellani, F.; Francesco, N.; Ristorini, M.; Canepari, S. Application of DPPH assay for assessment of particulate matter reducing properties. *Atmosphere* 2019, 10, 816. [CrossRef]
- Sultana, B.; Anwar, F. Flavonols (kaempferol, quercetin, myricetin) contents of selected fruits, vegetables and medicinal plants. *Food Chem.* 2008, 108, 879–884. [CrossRef]
- Silva, A.M.; Trevisan, G.; ZeniKlafke, J.; Rossato, M.F.; Isabel, C.; Walker, B.; Oliveira, S.M.; Silva, C.R.; Boligon, A.; Flores, F.C.; et al. Antinociceptive and anti-inflammatory effects of Aloe saponaria Haw on thermal injury in rats. *J. Ethnopharmacol.* 2013, 146,393–401.
- Lai, Q.; Wang, H.; Guo, X.; Abbasi, A.M.; Wang, T.; Li, T.; Fu, X.; Li, J.; Liu, R.H. Comparison of phytochemical profiles, antioxidant and cellular antioxidant activities of seven cultivars of Aloe. *Int. J. Food Sci. Technol.* 2016, 51, 1489–1494.
- López, A.; De Tangil, M.S.; Vega-Orellana, O.; Ramírez, A.S.; Rico, M. Phenolic constituents, antioxidant and preliminary antimycoplasmic activities of leaf skin and flowers of Aloe vera (L.) Burm. f. (syn. A. barbadensis Mill.) from the canary islands (Spain). *Molecules* 2013, 18, 4942.
- Arredondo, F.; Echeverry, C.; Abin-Carriquiry, J.; Blasina, F.; Antúnez, K.; Jones, D.; Go, Y.; Liang, Y.; Dajas, F. After cellular internalization, quercetin causes Nrf2 nuclear translocation, increases glutathione levels, and prevents neuronal death against an oxidative insult. *Free Radic. Biol. Med.* 2010, 49, 738–747.
- Oliveira, M.R.; Nabavi, S.M.; Braidly, N.; Setzer, W.N.; Seyed, T.A.; Nabavi, F. Quercetin and the mitochondria: A mechanistic view. *Biotechnol. Adv.* 2016, 34, 532–549.
- Hong, M.S.; Yoon, Y.M.; An, S.K.; An, I.S.; Byun, B.H. Protective effects of the natural ingredient quercetin in human dermal fibroblasts. *Asian J. Beauty Cosmetol.* 2012, 10, 571–579.
- Muthukumar, P.; Divya, R.; Indhumathi, E.; Keerthika, C. Total phenolic and flavonoid content of membrane processed Aloe vera extract: A comparative study. *Int. Food Res. J.* 2018, 25, 1450–1456.
- Hęs, M.; Dzedzic, K.; Gorecka, D.; Jędrusek-Golinska, A.; Gujska, E. Aloe vera (L.)Webb.: Natural Sources of Antioxidants—A Review. *Plant Foods Hum. Nutr.* 2019, 74, 255–265.
- Hamman, J.H. Composition and applications of Aloe vera leaf gel. *Molecules* 2008, 13, 1599–1616.
- Arbab, S.; Ullah, H.;Weiwei,W.;Wei, X.; Ahmad, S.U.;Wu, L.; Zhang, J. Comparative study of antimicrobial action of Aloe vera and antibiotics against different bacterial isolates from skin infection. *Vet. Med. Sci.* 2021, 7, 2061–2067.

AMBIOME™ SKC ALOE FERMENTED REFERENCES

- Grice, E.A.; Segre, J.A. The skin microbiome. *Nat. Rev. Microbiol.* 2011, 9, 244–253. [CrossRef] [PubMed]
- Cellini, L.; Bartolomeo, S.; Campli, E.; Genovese, S.; Locatelli, M.; Giulio, M. In vitro activity of Aloe vera inner gel against *Helicobacter pylori* strains. *Lett. Appl. Microbiol.* 2014, 59, 43–48.
- Dreno, B.; Pecastaings, S.; Corvec, S.; Veraldi, S.; Khammari, A.; Roques, C. *Cutibacterium acnes* (*Propionibacterium acnes*) and *acne vulgaris*: A brief look at the latest updates. *J. Eur. Acad. Dermatol. Venereol.* 2018, 32, 5–14.
- Dreno, B.; Dagnelie, M.A.; Khammari, A.; Corvec, S. The Skin Microbiome: A New Actor in Inflammatory Acne. *Am. J. Clin. Dermatol.* 2020, 21, 18–24. [CrossRef]
- Paller, A.S.; Kong, H.H.; Seed, P.; Naik, S.; Scharschmidt, T.C.; Gallo, R.L.; Luger, T.; Irvine, A.D. The microbiome in patients with atopic dermatitis. *J. Allergy Clin. Immunol.* 2019, 143, 26–35.
- Fox, L.T.; Gerber, M.; Preez, J.L.; du Plessis, J.; Hamman, J.H. Skin permeation enhancement effects of the gel and whole-leaf materials of Aloe vera, Aloe marlothii and Aloe ferox. *J. Pharm. Pharmacol.* 2015, 67, 96–106.
- Rahmani, A.H.; Aldebasi, Y.H.; Srikar, S.; Khan, A.A.; Aly, S.M. Aloe vera: Potential candidate in health management via modulation of biological activities. *Pharmacogn. Rev.* 2015, 9, 120–126.
- Bai, Y.; Niu, Y.; Qin, S.; Ma, G. A New Biomaterial Derived from Aloe vera-Acemannan from Basic Studies to Clinical Application. *Pharmaceutics* 2023, 15, 1913.
- Songsiripraduboon, S.; Banlunara, W.; Sangvanich, P.; Trairatvorakul, C.; Thunyakitpisal, P. Clinical, radiographic, and histologic analysis of the effects of acemannan used in direct pulp capping of human primary teeth: Short-term outcomes. *Odontology* 2015, 104, 329–337.
- Jansisyanont, P.; Tiyapongprapan, S.; Chuenchompoonut, V.; Sangvanich, P.; Thunyakitpisal, P. The effect of acemannan sponges in post-extraction socket healing: A randomized trial. *J. Oral. Maxillofac. Surgery Med. Pathol.* 2016, 28, 105–110.
- Chantarawatit, P.; Sangvanich, P.; Banlunara, W.; Soontornvipart, K.; Thunyakitpisal, P. Acemannan sponges stimulate alveolar bone, cementum and periodontal ligament regeneration in a canine class II furcation defect model. *J. Periodontal Res.* 2013, 49, 164–178.
- Zhang, Q.; Zhang, M.; Wang, T.; Chen, X.; Li, Q.; Zhao, X. Preparation of aloe polysaccharide/honey/ PVA composite hydrogel: Antibacterial activity and promoting wound healing. *Int. J. Biol. Macromol.* 2022, 211, 249–258.
- Rodrigues, L.C.; Fernandes, E.M.; Ribeiro, A.R.; Ribeiro, A.P.; Silva, S.S.; Reis, R.L. Physicochemical features assessment of acemannan-based ternary blended films for biomedical purposes. *Carbohydr. Polym.* 2021, 257, 117601.
- Yu, Y.; Shen, M.; Song, Q.; Xie, J. Biological activities and pharmaceutical applications of polysaccharide from natural resources: A review. *Carbohydr. Polym.* 2018, 183, 91–101.

AMBIOME™ SKC ALOE FERMENTED REFERENCES

- Li, S.; Xiong, Q.; Lai, X.; Li, X.; Wan, M.; Zhang, J.; Yan, Y.; Cao, M.; Lu, L.; Guan, J.; et al. Molecular Modification of Polysaccharides and Resulting Bioactivities. *Compr. Rev. Food Sci. Food Saf.* 2016, 15, 237–250.
- Li, L.; Xu, W.; Luo, Y.; Lao, C.; Tong, X.; Du, J.; Huang, B.; Li, D.; Chen, J.; Ye, H.; et al. Aloe polymeric acemannan inhibits the cytokine storm in mouse pneumonia models by modulating macrophage metabolism. *Carbohydr. Polym.* 2022, 297, 120032.
- Womble, D.; Helderman, J. The Impact of Acemannan on the Generation and Function of Cytotoxic Lymphocytes. *Immunopharmacol. Immunotoxicol.* 1992, 14, 63–77.
- Raksha, B.; Pooja, S.; Babu, S. Bioactive compounds and medicinal properties of Aloe vera L., an update. *J. Plant Sci.* 2014, 2, 102–107.
- Cardarelli, M.; Roupheal, Y.; Pellizzoni, M.; Colla, G.; Lucini, L. Profile of bioactive secondary metabolites and antioxidant capacity of leaf exudates from eighteen Aloe species. *Ind. Crop. Prod.* 2017, 108, 44–51.
- Kumar, S.; Tikku, A.B. Immunomodulatory potential of acemannan (polysaccharide from Aloe vera) against radiation induced mortality in Swiss albino mice. *Food Agric. Immunol.* 2016, 27, 72–86.
- Jittapiromsak, N.; Sahawat, D.; Banlunara, W.; Sangvanich, P.; Thunyakitpisal, P. Acemannan, an Extracted Product from Aloe Vera, Stimulates Dental Pulp Cell Proliferation, Differentiation, Mineralization, and Dentin Formation. *Tissue Eng. Part. A* 2010, 16, 1997–2006.
- Thant, A.A.; Ruangpornvisuti, V.; Sangvanich, P.; Banlunara, W.; Limcharoen, B.; Thunyakitpisal, P. Characterization of a bioscaffold containing polysaccharide acemannan and native collagen for pulp tissue regeneration. *Int. J. Biol. Macromol.* 2023, 225, 286–297.
- R. H. Davis, J. M. Kabbani, and N. P. Mara, “Aloe vera and wound healing,” *Journal of the American Podiatric Medical Association*, vol. 77, no. 4, pp. 165–169, 1987.
- E. M. Curto, A. Labelle, and H. L. Chandler, “Aloe vera: an in vitro study of effects on corneal wound closure and collagenase activity,” *Veterinary Ophthalmology*, vol. 17, no. 6, pp. 403–410, 2014.
- K. Eshun and Q. He, “Aloe vera: a valuable ingredients for the food, pharmaceutical and cosmetic industries-a review,” *Critical Reviews in Food Science and Nutrition*, vol. 44, no. 2, pp. 91–96, 2004.
- N. Pugh, S. A. Rodd, M. A. Elsohly, and D. S. Pasco, “Characterization of aloeride, a new high molecular weight polysaccharides from Aloe vera with potent immunostimulatory activity,” *Journal of Agricultural and Food Chemistry*, vol. 49, no. 2, pp. 1030–1034, 2001.
- Vogler, B.K.; Erst, E. Aloe vera: A systemic review of its clinical effectiveness. *Br. J. Gen. Pract.* 1999, 49, 823–828. [PubMed].
- 2. Grace, O.M.; Simmonds, M.S.J.; Smith, G.F.; Wyk, A.E.V. Therapeutic uses of Aloe L. (Asphodelaceae) in southern Africa. *J.*

AMBIOME™ SKC ALOE FERMENTED REFERENCES

- Ethnopharmacol. 2008, 119, 604. [CrossRef] [PubMed]
- 3. Reynolds, T. The compounds in Aloe leaf exudates: A review. Bot. J. Linn. Soc. 1985, 90, 157–177. [CrossRef]
- 4. Shakib, Z.; Shahraki, N.; Razavi, B.M.; Hosseinzadeh, H. Aloe vera as an herbal medicine in the treatment of metabolic syndrome:
 - A review. Phytother. Res. 2019, 33, 2649–2660. [CrossRef]
 - Effects by oral administration of Aloe vera gel extract (AVGE): Possible involvement in activation of brown adipose tissue (BAT).
- J. Nutr. Sci. Vitaminol. 2020, 66, 176–184. [CrossRef]
- Haller, J.S. A drug for all season medical and pharmacological history of aloe. Bull. N.Y. Acad. Med. 1990, 66, 647–659.
- Crewe, J.E. Aloe in the treatment of burn and scalds. Minn. Med. 1985, 22, 538–539.
- Svitina, H.; Swanepoel, R.; Rossouw, J.; Netshimbupfe, H.; Gouws, C.; Hamman, J. Treatment of skin disorders with aloe materials. Curr. Pharm. Des. 2019, 25, 2208–2240.
- Miroddi, M.; Navarra, M.; Calapai, F.; Mancari, F.; Giofrè, S.V.; Gangemi, S.; Calapai, G. Review of clinical pharmacology of Aloe vera L. in the treatment of psoriasis. Phyther. Res. 2015, 29, 648–655.
- Wu, J.; Zhang, Y.; Lv, Z.; Yu, P.; Shi, W. Safety evaluation of Aloe vera soft capsule in acute, subacute toxicity and genotoxicity study. PLoS ONE 2021, 16, e0249356.
- Ebrahim, A.A.; Elnesr, S.S.; Abdel-Mageed, M.A.A.; Aly, M.M.M. Nutritional significance of aloe vera (*Aloe barbadensis* Miller) and its beneficial impact on poultry. Worlds Poult. Sci. J. 2020, 76, 803–814.
- López, Z.; Núñez-Jinez, G.; Avalos-Navarro, G.; Rivera, G.; Salazar-Flores, J.; Ramírez, J.A.; Ayil-Gutiérrez, B.A.; Knauth, P. Antioxidant and cytotoxicological effects of Aloe vera. Food Supp. 2017, 7636237.
- Guo, X.; Mei, N. Aloe vera: A review of toxicity and adverse clinical effects. J. Environ. Sci. Health Part C Environ. Carcinog. Ecotoxicol. Rev. 2016, 34, 77–96.
- Y. Gutterman and E. Chauser-Volfson, “Changes in secondary phenolic metabolites during storage as an aqueous suspension in comparing with the contents in harvested Aloe arborescens leaves,” International Journal of Food Science and Technology, vol. 41, no. 6, pp. 662–666, 2006.
- F. A. Andersen, “Final report on the safety assessment of Aloe androgenis extract, Aloe arborescens leaf extracts, Aloe arborescens leaf juice, Aloe arborescens leaf protoplasts, Aloe barbadensis leaf juice, Aloe barbdensis leaf extract and Aloe ferox leaf juice extracts,” International Journal of Toxicology, vol. 84, pp. 1–50, 2007.
- Al-Madboly, L.A.; Kabbash, A.; Yassin, A.M.; Yagi, A. Dietary cancer prevention with butyrate fermented by Aloe vera gel endophytic microbiota. J. Gastro. Hepat. Res. 2017, 6, 2312–2317

AMBIOME™ SKC ALOE FERMENTED REFERENCES

- Yagi, N. Harada, K. Shimomura, and I. Nishioka, “Bradykinn-degrading glycoprotein in *Aloe arborescens* var. *natalensis*,” *Planta Medica*, vol. 53, no. 1, pp. 19–21, 1987.
- J. A. Nazeam, H. A. Gad, A. Esmat, H. M. El-Hefnawy, and A. N.-B. Singab, “*Aloe arborescens* polysaccharides: in vitro immunomodulation and potential cytotoxic activity,” *Journal of Medicinal Food*, vol. 20, no. 5, pp. 491–501, 2017.
- Ricci, A.; Bernini, V.; Maoloni, A.; Cirilini, M.; Galaverna, G.; Neviani, E.; Lazzi, C. Vegetable by-product lacto-fermentation as a new source of antimicrobial compounds. *Microorganisms* 2019, 7, 607.
- G. Perdigón, R. Fuller, and R. Raya, “Lactic acid bacteria and their effect on the immune system,” *Current Issues in Intestinal Microbiology*, vol. 2, no. 1, pp. 27–42, 2001.
- Martí-Quijal, F.J.; Khubber, S.; Remize, F.; Tomasevic, I.; Roselló-Soto, E.; Barba, F.J. Obtaining antioxidants and natural preservatives from food by-products through fermentation: A review. *Fermentation* 2021, 7, 106.
- M. C. Yang, W. J. Sang, and Y. M. Jin, “Analysis of constituents in *Sipjundaebotangs* fermented by lactic acid bacteria,” *Korean Journal of Microbiology and Biotechnology*, vol. 39, no. 4, pp. 350–356, 2011.
- Y.-M. Kang, C.-H. Hong, S.-H. Kang et al., “Anti-photoaging effect of plant extract fermented with *Lactobacillus buchneri* on CCD-986sk 9broblast and HaCaT keratinocytes,” *Journal of Functional Biomaterials*, vol. 11, no. 1, p. 3, 2020.
- D. Sharma, M.-M. Kober, and W. P. Bowe, “Anti-aging effects of probiotics,” *Journal of Drugs in Dermatology*, vol. 15, no. 1, pp. 9–12, 2016.
- D. E. Lee, C.-S. Huh, J. Ra et al., “Clinical evidence of effects of *Lactobacillus plantarum* HY7714 on skin aging: a randomized, double blind, placebo-controlled study,” *Journal of Microbiology and Biotechnology*, vol. 25, no. 12, pp. 2160–2168, 2015.
- M. A. Farage, K. W. Miller, P. Elsner, and H. I. Maibach, “Structural characteristics of the aging skin: a review,” *Cutaneous and Ocular Toxicology*, vol. 26, no. 4, pp. 343–357, 2007.
- T. Reynolds and A. C. Dweck, “Aloe vera leaf gel: a review update,” *Journal of Ethnopharmacology*, vol. 68, no. 1–3, pp. 3–37, 1999.
- O. P. Agarwala, “Whole leaf aloe gel vs. standard aloe gel,” *Drug and Cosmetics Industry*, vol. 22, pp. 301–314, 1997.
- J. P. Heggars, A. Kucucelelsi, and D. Listengarten, “Beneficial effect of Aloe on wound-healing in an excisional wound model,” *Ce Journal of Alternative and Complementary Medicine*, vol. 2, no. 2, pp. 271–277, 1996.
- M. Takahashi, D. Kitamoto, Y. Asikin, K. Takara, and K. Wada, “Liposomes encapsulating Aloe vera leaf gel extract significantly enhance proliferation and collagen synthesis in human skin cell lines,” *Journal of Oleo Science*, vol. 58, no. 12, pp. 643–650, 2009.

AMBIOME™ SKC ALOE FERMENTED REFERENCES


- P. Chitha, G. B. Sajithlal, and G. Chanderakasan, "Influence of Aloe vera on collagen characteristics in healing dermal wounds in rats," *Molecular and Cellular Biochemistry*, vol. 181, no. 1-2, pp. 71–76, 1998.
- [56] M. F. Esua and J.-W. Rauwald, "Novel bioactive maloyl glucans from Aloe vera gel: isolation, structure elucidation and in vitro bioassays," *Carbohydrate Research*, vol. 341, no. 3, pp. 355–364, 2006.
- C.-C. Tsai, C.-F. Chan, W.-Y. Huang et al., "Applications of Lactobacillus rhamnosus spent culture supernatant in cosmetic antioxidation, whitening and moisture retention applications," *Molecules*, vol. 18, no. 11, pp. 14161–14171, 2013.
- S.-A. Im, S.-T. Oh, S. G. Song et al., "Identification of optimal molecular size of modified Aloe polysaccharides with maximum immunomodulatory activity," *International Immunopharmacology*, vol. 5, no. 2, pp. 271–279, 2005.
- Femenia, E. S. Sánchez, S. Simal, and C. Rosselló, "Compositional features of polysaccharides from Aloe vera plant tissues," *Carbohydrate Polymers*, vol. 39, no. 2, pp. 109–117, 1999.
- R. Eberendu, G. Luta, and J. A. Edwards, "Quantitative colorimetric analysis of aloe polysaccharides as a measure of Aloe vera quality in commercial products," *Journal of AOAC International*, vol. 88, no. 3, pp. 684–691, 2005.
- D. Grindlay and T. Reynolds, "Aloe vera phenomenon: a review of the properties and modern uses of the leaf parenchyma gel," *Journal of Ethnopharmacology*, vol. 16, no. 2-3, pp. 117–151, 1986.
- M. R. Tabandeh, A. Oryan, and A. Mohammadalipour, "Polysaccharides of Aloe vera induce the skin wound repair of rat," *International Journal of Biological Macromolecules*, vol. 65, pp. 424–430, 2014.
- R. H. Davis, M. G. Leitner, J. M. Russo, and M. E. Byrne, "Anti-inflammatory activity of Aloe vera against a spectrum of irritants," *Journal of the American Podiatric Medical Association*, vol. 79, no. 6, pp. 263–276, 1989.
- Eshun K, He Q. Aloe vera: a valuable ingredient for the food, pharmaceutical and cosmetic industries-a review. *Crit Rev Food Sci Nutr*. 2004;44(2):91–96.
- Sun SQ. Research progress on bioactive components and their functions of Aloe. *Chem Intermed*. 2019;18(1):166–167.
- Cai JF. Research progress of pharmacological mechanism of active components in Aloe. *World Latest Med. Inf. (Electronic Version)*. 2018;18(102):122–125.
- Mansoor K, Aburjai T, Al-Mamoori F, et al. Plants with cosmetic uses. *Phytother Res*. 2023;37(12):5755–5768.
- Ganesan P, Choi DK. Current application of phytocompound-based nanocosmeceuticals for beauty and skin therapy. *Int J Nanomed*. 2016;11:1987–2007.
- Nie LH. Developing and using of Aloe vera. *Food Res Dev*. 2006;27(2):147.

AMBIOME™ SKC ALOE FERMENTED REFERENCES

- Kahramanoglu _I, Chen C, Chen J, et al. Chemical constituents, antimicrobial activity, and food preservative characteristics of Aloe vera gel. *Agronomy*. 2019;9(12):831.
- Xu N, Li Z, Yue R, et al. Curative effect of aloe gel on prevention and treatment of pigmentation after dermabrasion. *Chin J Aesthetic Plast Surg*. 2015;26(3):159–161.
- Wu X, Yin S, Zhong J, et al. Mushroom tyrosinase inhibitors from Aloe barbadensis
- Miller. *Fitoterapia*. 2012;83(8):1706–1711.
- Wozniak A, Paducj R. Aloe vera extract activity on human corneal cells. *Pharm Biol*. 2012;50(2):147–154.
- He LY, Li X, Qian SX. Study on whitening effect of Aloe vera flower extract by 3D skin model. *Flavour Fragr Cosmet*. 2021;4:33–36.
- Ma YX. Preparation of a moisturizing sunscreen of Aloe. *Sichuan Chem Ind*. 2015; 18(3):1–3.
- Skarupova D, Vostalova J, Rajnochova SA. Ultraviolet A protective potential of plant extracts and phytochemicals. *Biomed Papers Med Faculty Uni Palacky*. 2020;164(1):1–22.
- Reuter J, Jocher A, Stump J, et al. Investigation of the anti-inflammatory potential of Aloe vera gel (97.5%) in the ultraviolet erythema test. *Skin Pharmacol Physiol*. 2008;21(2):106–110.
- Lee CK, Han SS, Shin YK, et al. Prevention of ultraviolet radiation-induced suppression of contact hypersensitivity by Aloe vera gel components. *Int J Immunopharm*. 1999;21(5):303–310.
- Rodrigues LR, Jose J. Exploring the photo protective potential of solid lipid nanoparticle-based sunscreen cream containing Aloe vera. *Environ Sci Pollut Res Int*. 2020;27(17):20876–20888.
- Strickland PR. Prevention of ultraviolet radiation-induced suppression of contact and delayed hypersensitivity by Aloe barbadensis gel extract. *J Invest Dermatol*. 1994;102(2):197–204.
- Hęs M, Dziejczak K, Gorecka D, et al. Aloe vera (L.) webb.: natural sources of antioxidants - a review. *Plant Foods Hum Nutr*. 2019;74(3):255–265.
- Añibarro-Ortega M, Pinela J, Barros L, et al. Compositional features and bioactive properties of Aloe vera leaf (Fillet, Mucilage, and Rind) and flower. *Antioxidants*. 2019;8(10):444.
- Jiang WM, Zhou SY. Preparation and antioxidant activity of Aloe polysaccharide and its derivatives. *Storage Process*. 2022;22(11):61–68, 75.
- Fares MM, Radaideh SK. Novel mustard oil/Aloe vera gel microemulsions as potential biomaterials. *J Mol Liq*. 2024;397:124077.
- Hai Z, Ren Y, Hu J, et al. Evaluation of the treatment effect of Aloe vera fermentation in burn injury healing using a rat model. *Mediat Inflamm*. 2019:2020858.
- Li Q, Wu ZM. The principle and application of anti-aging cosmetics. *Chin J Aesthetic Med*. 2017;26(11):135–138.

AMBIOME™ SKC ALOE FERMENTED REFERENCES

- Kathuria N, Gupta N, Manisha, et al. Biologic effects of Aloe vera gel. *Internet J Microbiol.* 2010;9(2):1–6.
- Zand M, Sefhvand S, khoshkhat P, et al. Preparation and characterization of poly(vinyl pyrrolidone)/cellulose nanofiber/Aloe vera composites as a biocompatible hydrating facial mask. *Int J Biol Macromol.* 2024;277:133846.
- Tanaka M, Yamamoto Y, Misawa E, et al. Effects of Aloe sterol supplementation on skin elasticity, hydration, and collagen score: a 12-week double-blind, randomized, controlled trial. *Skin Pharmacol Physiol.* 2017;29(6):309–317.
- Zhang H, Wang Y, He LY, et al. Study on moisturizing effect of Aloe vera macromolecule gel. *Flavour Fragr Cosmet.* 2020;4(4):31–35.
- Eichenfield D, Sprague J, Eichenfield L. Management of acne vulgaris: a review. *JAMA.* 2021;326(20):2055–2067.
- Say YH, Heng AHS, Reginald K, et al. Modifiable and non-modifiable epidemiological risk factors for acne, acne severity and acne scarring among Malaysian Chinese: a cross-sectional study. *BMC Publ Health.* 2021;21(1):601.
- Wang R, Xu H, Liu Y. Current status of physical therapy of acne vulgaris. *Dermatol B.* 2023;40(4):527–532.
- 48. Nishijima S, Kurokawa I, Katoh N, et al. The bacteriology of acne vulgaris and antimicrobial susceptibility of propionibacterium acnes and staphylococcus epidermidis isolated from acne lesions. *J Dermatol.* 2000;27(5):318–323.
- Salah F, Ghoul YE, Mahdhi A, et al. Effect of the deacetylation degree on the antibacterial and antibiofilm activity of acemannan from Aloe vera. *Ind Crop Prod.* 2017;103:13–18.
- Xie YX, Yang WJ, Chen XQ, et al. Antibacterial activities of flavonoids: structure activity relationship and mechanism. *Curr Med Chem.* 2014;22(10):2174.
- Cowan MM. Plant products as antimicrobial agents. *Clin Microbiol Rev.* 1999;12(4): 564–582.
- Rana T, Zaman M, Khan MA, et al. Antiacne gel containing Aloe vera and clindamycin phosphate: design, characterization, and optimization using response surface methodology. *Int J Polymer Sci.* 2024;(1):3353141.
- Li XM, Zhang HX, Fan Y, et al. Study on the anti-inflammatory effect of Aloe vera gel. *China Surfactant Deter Cosmet.* 2022;52(12):1320–1325.
- Hajheydari Z, Saeedi M, Morteza-Semnani K, et al. Effect of Aloe vera topical gel combined with tretinoin in treatment of mild and moderate acne vulgaris: a randomized, double-blind, prospective trial. *J Dermatol Treat.* 2013;25(2):123–129.
- Chen ZH, Li X, Han L, et al. Effects of Aloe extract on IgE, IL-17 and NF-κB pathways in atopic dermatitis mice model. *Chin J Dermatovenereol.* 2019;33(6):644–650.
- Su YY, Jin D, Zhang CJ, et al. Research progress of Aloe in promoting wound healing. *Guangdong Chem Ind.* 2022;49(5):62–63, 58.




AMBIOME™ SKC ALOE FERMENTED REFERENCES

- Almanza-Aranda KE, Aranda-Fonseca MG, Velazquez-Plascencia G, et al. Cytotoxic and anti-inflammatory effect of turmeric and Aloe vera in a gingivitis model. *Nat Oral Care in Dental Therapy*. 2020;97–109.
- Tang N, Bian K. Application of Aloe in wounds healing. *Shanghai J Tradit Chin Med*. 2010;44(9):72–75.
- Tabandeh MR, Oryan A, Mohammadalipour A. Polysaccharides of Aloe vera induce MMP-3 and TIMP-2 gene expression during the skin wound repair of rat. *Int J Biol Macromol*. 2014;65:24–30.
- Zheng YY, Shi XX, Liu DX, et al. Effect of aloe polysaccharide on wound healing of rats with diabetic foot ulcer. *Chin J Clin Pharmacol*. 2021;37(2):153–156.
- Chen K, Hu ZT, Luo BJ, et al. Promoting effects of freezing-dried Aloe barbadensis Miller powder on skin wound healing in rabbits. *West China J Pharm Sci*. 2009;24(3): 272–274.
- Liang YJ, Li Y, Gao YY, et al. Experimental study of using Aloe vera gel to treat diabetic chronic cutaneous ulcers in Bama miniature pigs. *J Sichuan Univ Med. Sci Ed*. 2022;53(6):953–960.
- Thomas D, Nath MS, Mathew NRR, et al. Alginate modified with Aloe vera gel and cellulose nanocrystals for wound dressing application: preparation, characterization and in vitro evaluation. *J Drug Deliv Sci Technol*. 2020;59:101894.
- Singh B, Singh J, Sharma V, et al. Exploring bioactive aloe-vera and sterculia gum to develop hydrogel wound dressings by graft-copolymerization. *Food Hydrocolloids Health*. 2023;4:100168.
- Khamene J, Yazdian A, Pourmadadi F, et al. Fabrication and characterization of an innovative G-C3N4/calcium/Aloe vera enriched PVA-bacterial cellulose wound dressing: a novel approach to diabetic wound management. *Inorg Chem Commun*. 2024;168:112879.
- Zhang X, Liao CJ, Jia CY. Research progress of aloe in burn wound treatment. *Chin J Inj Repair Wound Healing*. 2015;10(1):80–82.
- Hu M, Hu H. Effect of Aloe on preventing radiation on induced dermatitis: a meta analysis. *Chin Nurs Res*. 2019;33(10):1670–1674.
- Lu JL, Liu XP, Yang F, et al. Efficacy of Aloe gel for wound healing rate and the granulation tissue rate in the dermatitis vesicular reaction caused by radiation in rat. *J Modern Oncol*. 2006;9:1156–1158.
- Lui-Walsh F. et al. Fermentation of colloidal oatmeal by cutaneous bacteria results in enhanced production of lactic acid and short chain fatty acids. *American Academy of Dermatology Annual Meeting, 16-20 February 2018, San Diego, California, USA*.
- Portugal-Cohen, M., Oron, M., Cohen, D. and Ma'or, Z. (2017) Antipollution Skin Protection—A New Paradigm and Its Demonstration on Two Active Compounds. *Clinical , Cosmetic and Investigational Dermatology*, 10, 185-193.
- Gomes, C.; Silva, A.C.; Marques, A.C.; Sousa Lobo, J.; Amaral, M.H. *Biotechnology Applied to Cosmetics and Aesthetic Medicines*. *Cosmetics* 2020, 7, 33.



AMBIOME™ SKC ALOE FERMENTED REFERENCES

- Mellou, F.; Varvaresou, A.; Papageorgiou, S. Renewable sources: Applications in personal care formulations. *Int. J. Cosmet. Sci.* 2019, 41, 517–525.
- Gupta, P.L.; Rajput, M.; Oza, T.; Trivedi, U.; Sanghvi, G. Eminence of Microbial Products in Cosmetic Industry. *Nat. Prod. Bioprospecting* 2019, 9, 267–278.
- Mora-Villalobos, J.A.; Montero-Zamora, J.; Barboza, N.; Rojas-Garbanzo, C.; Usaga, J.; Redondo-Solano, M.; Schroedter, L.; Olszewska-Widdrat, A.; López-Gómez, J.P. Multi-Product Lactic Acid Bacteria Fermentations: A Review. *Fermentation* 2020, 6, 23.
- Duarte, M.; Oliveira, A.L.; Oliveira, C.; Pintado, M.; Amaro, A.; Madureira, A.R. Current postbiotics in the cosmetic market—An update and development opportunities. *Appl. Microbiol. Biotechnol.* 2022, 106, 5879–5891.
- Huang, H.-C.; Lee, I.J.; Huang, C.; Chang, T.-M. Lactic Acid Bacteria and Lactic Acid for Skin Health and Melanogenesis Inhibition. *Curr. Pharm. Biotechnol.* 2020, 21, 566–577.



AMBIOME™ SKC ALOE FERMENTED REFERENCES

If you want to receive more information related to AMBIOME™ SKC Aloe Fermented, please do not hesitate to contact us.

Oscar Lozano

Global Sales Manager

oscar@amb-wellness.com

+528713154092



This Marketing Material is only a Commercial reference and intended for the addressee, anyone who receives this information by mistake is bound to confidentiality. All displayed images and registered brands are property of its owners, only shown a Commercial references and examples.

www.amb-wellness.com